Product information

Original BMW Group accessories. Compact rear bicycle carrier.




Product description

This foldable bicycle rear carrier for the ball head can be used with When not in use, it can be folded up and stored in the luggage compartment to save space and be completely crash-proof.

The rear carrier is comfortable to use, with removable Equipped with holding arms and can hold up to two bicycles or two e-bikes can be loaded.

Details

- The rear carrier is **foldable** and can be stored in the luggage compartment with the appropriate retrofit kit.
- It has a high payload (2 x 30 kg bike weight) =>
 Every bike, from racing bikes to e-bikes, can be transported.
- The carrier has **removable** and **freely** positionable bare holding arms.
- Advantages over competitive products:
 - •The bicycle rack is transported in the vehicle interior in a splashproof manner.
 - •When not in use for a long period of time, the rear carrier can be removed from the car to **reduce weight**.
 - •The system enables **trailer operation** on the vehicle things.
- A simple quick-release system for locking the support bracket tion is what sets him apart.
- The wide base frame **enables** the transport of wheels with a center distance of up to 130 cm.
- The rear carrier meets the high quality and safety requirements of the BMW Group.
- It is light but still stable and very resilient.
- Easy to install by attaching the wheels with via ratchet system and one-handed operation of the ball head clamping system.
- It has a folding function for better access to the rear and adjustable lights.



Compact rear bicycle carrier



Rear bicycle rack stowed in the luggage compartment tub



Crash-proof accommodation in the luggage compartment tub

Compact rear bicycle carrier.




Diagram of removable support arms

Recommendation

- Lifestyle bikes and e-bikes
- Retrofitting original trailer hitches
- Ball head rear carrier preparation part number
 71 60 6 870 724

Technical data

- Dimensions of rear bicycle carrier (L x W x H):
 •Folded approx. 600 x 830 x 180 mm
 - •Ready to assemble approx. 600 x 1,200 x 650 mm
- Weight of the bike holder: approx. 12 kg
- Wheel rail spacing: 220 mm
- Bicycle length (when aligned centrally): up to 1,300 mm Axle distance (front axle to rear axle bicycle)

Necessary additional parts

Set of storage racks for rear bicycle racks	
F45, F46, F48 until 10/2015	82 27 2 405 428
F45, F46, F48 from 10/2015	82 27 2 411 656
F60	82 27 2 413 414

A notice:

- The rear bicycle carrier can be used with either the trailer hitch (SA 235) or the cheaper one
 - Bicycle rear transport alternative rear carrier preparation (SA 3AR) can be used.
- It cannot be accommodated in the luggage compartment tub possible if the vehicle has an emergency wheel (SA 300) or 3rd row of seats (SA 4UB).

Safety notice:

A

- Loosely mounted bicycle components (e.g. battery pack, Luggage bags, baskets, child seats, etc.) must be provided must be dismantled before driving.
- Before installing the carrier on the trailer hitch, you must use appropriate cleaning agents to ensure that the ball and the clamping system are free of grease and oil.
- Without retrofitting the components for accommodation in With the luggage compartment tub, crash-safe transport of the rear bicycle carrier cannot be guaranteed.
- When storing the bicycle holder in the luggage compartment, make sure that the webbing according to assembly information by all those provided Fasteners are guided and tightened without play.

4

Compact rear bicycle carrier.

Vehicle identification BMW

2 Series Active Tourer (F45)
2 Series Grand Tourer (F46)
X1 (F48)
MINI

- MINI Countryman (F60)

Installation time

Installing the shelf in the luggage compartment tub: approx. 30 minutes.

Initial assembly of the rear carrier by the customer in approx. 5-10 minutes. Each additional assembly will take approximately 2 minutes needed.

Assembly information

01 29 2 405 433

Installation instructions

01 29 2 405 432

designation	Availability/	Part number
Compact rear bicycle carrier		
F45, F46, F48	03/2015	82 72 2 354 449
F60	03/2016	82 72 2 414 151